



The Hold&Go™ insulated paper cup portfolio provides an excellent guest experience for on-the-go hot and cold beverages. It is ideal for operators looking for a high-quality printed cup with sturdy construction that doesn't sacrifice speed of service.

With Hold&Go, there is no need to double-cup or use a sleeve. The exceptional insulating properties of a built-in sleeve provide a comfortable experience for the consumer while helping to maintain the temperature and quality of the beverage.

Hold&Go is offered for either hot or cold beverages. The insulated hot cups are available with or without 100% post-consumer recycled fiber (PCF) for the outer-wrap, a key feature to minimize heat transfer from cup to hand. The insulated cold cup comes with an extra protective coating to minimize condensation, a common nuisance for consumers.

Circularity



- Fiber used meets the Sustainable Forestry Initiative® (SFI®) Certified Sourcing standards, ensuring that it comes from sustainably managed forests
- Recyclable only in the communities that have the appropriate recycling facilities
- PCF hot cups are manufactured with an outer wrap made from 100% post-consumer recycled material

Functionality



- Double-wall design eliminates the need to double-cup or add a sleeve, improving beverage service speed
- Four lid styles in either black or white, with common lids for 12 - 24oz cups
- Made in the USA, delivering supply chain security and efficiency

Convenience



- Insulating air gap creates an additional layer of security to protect hands against hot or cold beverages
- In laboratory testing, the Cold&Go insulated cold cup was found to have around three times the insulating properties of plastic cups and created 43% less condensation
- Available with a custom print to create a sense of premiumization with consumers or a range of attractive stock options



SDR-8
8oz INSULATED HOT CUP
Case/Sleeve Qty: 600/30
Case Weight: 21.0 lbs
Case Cube: 2.56
Case Dimensions: 17.19x13.44x19.13
Ti/Hi: 9x4
Lids: LHDD-8, LHDDB-8

SDR-12
12oz INSULATED HOT CUP
Case/Sleeve Qty: 600/30
Case Weight: 27.0 lbs
Case Cube: 3.25
Case Dimensions: 18.88x15.19x19.56
Ti/Hi: 6x5
Lids: LHDD-16, LHDDB-16, LHDN-16, LHDNB-16, LHDNP-16

SDR-16
16oz INSULATED HOT CUP
Case/Sleeve Qty: 600/30
Case Weight: 34.0 lbs
Case Cube: 4.03
Case Dimensions: 18.88x15.19x24.31
Ti/Hi: 6x4
Lids: LHDD-16, LHDDB-16, LHDN-16, LHDNB-16, LHDNP-16

SDR-20
20oz INSULATED HOT CUP
Case/Sleeve Qty: 600/30
Case Weight: 39.5 lbs
Case Cube: 4.16
Case Dimensions: 18.88x15.19x25.06
Ti/Hi: 6x4
Lids: LHDD-16, LHDDB-16, LHDN-16, LHDNB-16, LHDNP-16

SDRM-24
24oz INSULATED HOT CUP
Case/Sleeve Qty: 500/20
Case Weight: 39.5 lbs
Case Cube: 4.69
Case Dimensions: 18.88x18.88x22.75
Ti/Hi: 4x4
Lids: LHDD-16, LHDDB-16, LHDN-16, LHDNB-16, LHDNP-16



SDRR-8
8oz PCF INSULATED HOT CUP
Case/Sleeve Qty: 600/30
Case Weight: 22.4 lbs
Case Cube: 2.56
Case Dimensions: 17.19x13.44x19.13
Ti/Hi: 9x5
Lids: LHDD-8, LHDDB-8

SDRR-12
12oz PCF INSULATED HOT CUP
Case/Sleeve Qty: 600/30
Case Weight: 28.9 lbs
Case Cube: 3.25
Case Dimensions: 18.88x15.19x19.56
Ti/Hi: 6x5
Lids: LHDD-16, LHDDB-16, LHDN-16, LHDNB-16, LHDNP-16

SDRR-16
16oz PCF INSULATED HOT CUP
Case/Sleeve Qty: 600/30
Case Weight: 36.4 lbs
Case Cube: 4.03
Case Dimensions: 18.88x15.19x24.31
Ti/Hi: 6x4
Lids: LHDD-16, LHDDB-16, LHDN-16, LHDNB-16, LHDNP-16

SDRR-20
20oz PCF INSULATED HOT CUP
Case/Sleeve Qty: 600/30
Case Weight: 39.5 lbs
Case Cube: 4.16
Case Dimensions: 18.88x15.19x25.06
Ti/Hi: 6x4
Lids: LHDD-16, LHDDB-16, LHDN-16, LHDNB-16, LHDNP-16

SDRRM-24
24oz PCF INSULATED HOT CUP
Case/Sleeve Qty: 500/20
Case Weight: 40.6 lbs
Case Cube: 4.69
Case Dimensions: 18.88x18.88x22.75
Ti/Hi: 6x3
Lids: LHDD-16, LHDDB-16, LHDN-16, LHDNB-16, LHDNP-16



DDIM-16
16oz INSULATED COLD CUP
Case/Sleeve Qty: 480/20
Case Weight: 28.6 lbs
Case Cube: 4.96
Case Dimensions: 23.56x15.94x22.81
Ti/Hi: 6x4
Lids: LCDO-20, LCRSP-20

DDIM-20
20oz INSULATED COLD CUP
Case/Sleeve Qty: 480/20
Case Weight: 35.5 lbs
Case Cube: 5.38
Case Dimensions: 23.56x15.94x24.75
Ti/Hi: 6x4
Lids: LCDO-20, LCRSP-20

DDI-30
30oz INSULATED COLD CUP
Case/Sleeve Qty: 380/19
Case Weight: 35.1 lbs
Case Cube: 5.69
Case Dimensions: 22.06x17.75x25.13
Ti/Hi: 6x4
Lid: LCRSP-30

*Make and ship only. Contact your Graphic Packaging International Sales Representative for more information.

Hold&Go™ Lids



LHDD-8

DOME/WHITE

Case/Sleeve Qty: 1200/100

Case Weight: 10.5 lbs

Case Cube: 1.80

Case Dimensions:

16.00x16.00x12.13

Ti/Hi: 4x13

Cups: SDR-8, SDRR-8



LHDDB-8

DOME/BLACK

Case/Sleeve Qty: 1200/100

Case Weight: 10.5 lbs

Case Cube: 1.80

Case Dimensions:

16.00x16.00x12.13

Ti/Hi: 4x13

Cups: SDR-8, SDRR-8



LHDD-16

DOME/WHITE

Case/Sleeve Qty: 1200/100

Case Weight: 11.3 lbs

Case Cube: 1.83

Case Dimensions:

16.13x16.13x12.13

Ti/Hi: 6x8

Cups: SDR-12/16/20, SDRM-24,
SDRR-12/16/20, SDRRM-24



LHDDB-16

DOME/BLACK

Case/Sleeve Qty: 1200/100

Case Weight: 11.3 lbs

Case Cube: 1.83

Case Dimensions:

16.13x16.13x12.13

Ti/Hi: 6x8

Cups: SDR-12/16/20, SDRM-24,
SDRR-12/16/20, SDRRM-24



LHDN-16

LOCK-BACK DOME/WHITE

Case/Sleeve Qty: 1200/100

Case Weight: 13.2 lbs

Case Cube: 1.83

Case Dimensions:

16.13x16.13x12.13

Ti/Hi: 6x8

Cups: SDR-12/16/20, SDRM-24,
SDRR-12/16/20, SDRRM-24



LHDNB-16

LOCK-BACK DOME/BLACK

Case/Sleeve Qty: 1200/100

Case Weight: 13.2 lbs

Case Cube: 1.83

Case Dimensions:

16.13x16.13x12.13

Ti/Hi: 6x8

Cups: SDR-12/16/20, SDRM-24,
SDRR-12/16/20, SDRRM-24



LHDNP-16

LOCK-BACK DOME/WHITE

Case/Sleeve Qty: 1200/100

Case Weight: 11.9 lbs

Case Cube: 2.04

Case Dimensions:

15.58x11.83x19.16

Ti/Hi: 9x5

Cups: SDR-12/16/20, SDRM-24,
SDRR-12/16/20, SDRRM-24



Cold&Go™ Lids



LCRSP-20

FLAT/TRANSLUCENT

Case/Sleeve Qty: 2000/100

Case Weight: 12.0 lbs

Case Cube: 3.67

Case Dimensions:

20.38x16.38x19.00

Ti/Hi: 6x5

Cups: DDIM-16, DDIM-20



LCRSP-30

FLAT/TRANSLUCENT

Case/Sleeve Qty: 1000/100

Case Weight: 8.0 lbs

Case Cube: 2.33

Case Dimensions:

22.63x9.25x19.25

Ti/Hi: 8x5

Cup: DDI-30



LCDO-20

DOME/CLEAR

Case/Sleeve Qty: 1000/100

Case Weight: 6.3 lbs

Case Cube: 1.90

Case Dimensions:

20.38x19.50x8.25

Ti/Hi: 9x5

Cups: DDIM-16, DDIM-20



Note: Product specifications are subject to change

